

Sub B

1. A liquid crystal display device for displaying video data, comprising  
an input video data characteristic detection section for detecting a luminance characteristic to the gradation of the inputted video data,  
a gradation correction section for correcting the gradation in accordance with the luminance characteristic and  
a liquid crystal panel for displaying the corrected gradation.
2. A crystal display device according to claim 1, wherein the gradation correction section corrects the gradation such that the luminance for a gradation of higher generation frequency than that of other gradation is relatively higher compared with that for other gradation in the luminance characteristic.
3. A crystal display device according to claim 2, wherein the gradation correction section ~~increases~~ uses the luminance of the gradation of high generatic~~on~~ frequency.
4. A crystal display device according to claim 2, wherein the gradation correction section decreases the luminance of

5. A crystal display device according to claim 1, wherein the gradation correction section corrects the gradation so as to emphasize the black color when the gradation of high generation frequency is situated on the side of the gradation of relatively lower level in the luminance characteristic.

7. A crystal display device according to claim 1, wherein the gradation correction section corrects the gradation such that the luminance for the gradation containing the maximum luminance value in the luminance characteristic approaches the maximum luminance value that the liquid display panel can display.

the input video image characteristic detection section detects the gradation characteristic based on the luminance data.

an average luminance detection portion for detecting the average luminance in each of the regions divided by the divisional number set in the divisional number setting section during the detection period set by the detection setting section.

13. A liquid crystal display device according to claim 1, wherein the device further comprises a gradation correction coefficient generation section for calculating a correction coefficient in each of the gradations based on the generation frequency of the gradation detected by the input video data characteristic detection section.

14. A liquid crystal display device according to claim 13, wherein the luminance characteristic is calculated as a linear line, a polygonal line or a curve connecting adjacent set values for each of corrected gradations.

15. A liquid crystal display device for displaying video data comprising:

a liquid crystal panel,

a back light for illuminating the liquid crystal panel,

an input video data characteristic detection section for detecting the luminance characteristic to the gradation of the inputted video data and

a back light control section for controlling the amount of light of the back light in accordance with the luminance characteristic.

0984607 032604

16. A liquid crystal display device according to claim 15, wherein the luminance characteristic contains an average luminance in one or plural frames.

17. A liquid crystal display device according to claim 15, wherein the back light control section relatively decreases the amount of light of the back light when the luminance in one or plurality of frames is lower compared with the luminance in other one or plural frames.

18. A liquid crystal display device according to claim 15, wherein the back light control section relatively increases the light amount of light of the back light when the luminance in one or plural frames is higher compared with the luminance in other one or plural frames.

19. A liquid crystal display device according to claim 15, wherein the back light control section decreases the amount of light of the back light when the luminance of the inputted video data decreases.

20. A liquid crystal display device according to claim 15, wherein the back light control section increases the amount of light of the back light when the luminance of the inputted video data increases.